

# ACTION CAN®

60+ Premium Grade Product Range



Never ask a professional  
to use anything else!



[www.actioncan.com](http://www.actioncan.com)



Technical Specification  
available on request



# AC-90®

**LIQUID MAINTENANCE NO.1 CHOICE OF INDUSTRY**  
**PENETRATES LUBRICATES**  
**CLEANS PROTECTS AGAINST RUST**  
**RELEASES DISPLACES MOISTURE**  
**NO SILICONE**

### AC-90 Displaces Moisture

Corrects faults on damp vehicle ignition systems, simply spray AC-90 over the exterior of all distributor leads, spark plug leads, coil leads. Regularly apply AC-90 to keep your engine running smoothly. Suitable for electronic ignition systems.

### AC-90 Lubricates

Cleanly restores smooth, silent operation to door hinges, locks, castors, drawer runners, curtain tracks. Stops sticking and squeaks.

### AC-90 Cleans & Penetrates

Removes dirt, grime, limescale, crayon marks, chewing gum, adhesives. Leaves a clean protective film to protect against rust. Removes bloom from fridges, cookers, stainless steel sinks. If in doubt about suitability try on a small area first. Rapidly loosens rusted, corroded parts, seized nuts, bolts, cables and metal parts. \*De-scales taps and showers

## AD-90® HIGH PRESSURE AIR DUSTER

All angle spray

High pressure air duster.

Non-flammable.

Rapidly blows dust and dirt from inaccessible areas.

400g Aerosol



## AC-90® ANTI-GALLING LUBRICANT FOOD GRADE

125ml Can

Specialy formulated lubricant which will reduce the incidence of Galling/ Cold Welding of Stainless Steel Fasteners.

The product is reinforced with PTFE Dupont food grade which meets the requirements of 21 CFR-177-1550.F.D.A Food and Drug Administration.



## AS-90® WELDERS MULTI-USE FLUID

Pre-weld spray.  
Welding wire lubricant.  
Post-weld corrosion protection.

400g Aerosol

## CT-90® CUTTING & TAPPING SPRAY

Drilling, sawing & thread cutting all made easy.  
Safe on all steels, even stainless and ceramics.  
Extends tool life.  
Also available in compound and bulk fluid.  
Very high additive levels. High load capabilities.  
No silicones. Not suitable for yellow metals.  
No Chlorinated solvents. High anti-weld features.  
High rates of metal removal.

500ml Aerosol



## AT-90® AIR TOOL LUBRICANT

General all purpose grade suitable for all  
Air Tools or Air Line Lubricants.  
Can be mixed with all mineral based lubricants  
without draining the system.  
For all air operated tools.  
Excellent air release quality.  
Low foaming ability.  
ISO GRADE VG22.

500ml Polybottle 5ltr Can

## BD-90® DRIVE BELT DRESSING

Restores grip to Drive Belts – can be used on wet belts.  
Can be used on Drive Belts exposed to weather and is ideal for  
farm machines, alternator drive belts and fan belts.  
Helps stop belt cracking and extends belt life.  
Can be used on rubber, leather, canvas and most types  
of synthetic belt material.

500ml Aerosol



## BS-90® BUILDERS DURABLE BITUMASTIC COATING

Flexible, waterproof, crack resistant.  
Helps stop water leaks.  
Easy inverted spray.  
Rapid Drying Formula.  
Ideal for sealing roofing felts, tiles, slates, metal parts, fixings.  
Inverted spray nozzle for ease of application.

500ml Aerosol

## CD-90® CHAIN & DRIVE EXTREME PRESSURE LUBRICANT

Multi viscosity.  
Starts thin for penetration then thickens for performance.  
Resists throw off on moving chains.  
CD-90 can also be used as a general heavy duty lubricant.  
Ideal for driving chains, bearings, conveyor systems  
and also can be used as a slideway lubricant.

500ml Aerosol





500ml Aerosol

## CG-90® GENERAL PURPOSE CLEAR GREASE WITH PTFE

- Clear heavy duty EP grease.
- Reinforced with PTFE.
- Excellent shear resistance.
- Good low temp performance.
- Working temperature range -12°c to +250°c.
- Corrosion Inhibitor.
- Also suitable for bearings, chains and springs.

## CT-90® CUTTING & TAPPING FOAMCUT SPRAY

- Drilling, sawing & thread cutting all made easy.
- Suitable for yellow metals aluminium.
- CO<sub>2</sub> non-flammable propellant.
- Low odour foam clings to work.
- Safe on all steels.
- Extends cutting tool life.
- Foam clings to aid cutting of verticals.

400ml Aerosol



## CT-90® CUTTING & TAPPING FLUID

- Drilling, sawing & thread cutting all made easy.
- Safe on all steels, even stainless and ceramics.
- Extends tool life.
- Also available in compound and bulk fluid.
- Very high additive levels. High load capabilities.
- No silicones. Not suitable for yellow metals.
- No Chlorinated solvents. High anti-weld features.
- High rates of metal removal.

500ml Polybottle Pack  
5ltr Can  
25ltr Can  
200ltr Drum

## CT-90® CUTTING & TAPPING NON-DRIP COMPOUND

- Drilling, sawing & thread cutting of all metals made easy.
- Use on all steels, alloys, heat resisting metals, Cast Iron & Aluminium.
- A special compound which will not break down under extreme pressures.
- Apply by brush, or dip small cutting tools into the compound.

480gm Can



## CS-90® COPPER ANTI-SEIZE LUBRICANT

- Rated to 1200°c.
- No Silicones.
- Non Chlorinated.
- Water resistant.
- Lead free.
- Penetrates into chains, wire ropes, hinges, locks, brake callipers and bearings.
- Reduces metal to metal friction and seizure.

500ml Aerosol  
480gm Compound

## DM-90® DRY FILM MOLYBDENUM DISULPHIDE LUBRICANT MoS<sub>2</sub>

- Dry film resin bonded MoS<sub>2</sub> lubricant.
- Withstands high loads/pressure, does not attract dirt and dust.
- Use as a dry film lubricant on sliding surfaces gears, bearings and as an Anti-Galling lubricant on precision threaded components.
- Touch dry in 10 minutes, fully dry in 12 hours.

500ml Aerosol





## ESC® PLASTIC SAFE ELECTRICAL SWITCH CLEANER

A solvent cleaner suitable for parts containing plastics components.

Leaves no residue.

Removes oil and grease.

Formulated for use on delicate equipment.

Always test a small area for suitability before use.

Fast drying.

500ml Aerosol

## F.S.L.® FOOD SAFE LUBRICANT

Food safe machinery lubricant.

Does not contain mineral oil.

No taste. No smell.

Fully Biodegradable.

Reinforced with non-mineral oil additives.

General purpose lubricant.

500ml Aerosol



## I.P.A. ISOPROPYL ALCOHOL ELECTRONIC/ELECTRICAL SWITCH CLEANER

500ml Aerosol

IPA is specially formulated to clean electrical components containing plastic parts. BS 1595.

It will clean electrical switches and contacts, rapidly evaporating and leaving no residue.

## LD-90® GAS LEAK DETECTOR SPRAY

Compressed air propellant.

Non-flammable.

Ideal for use with gas detecting equipment.

All angle spray.

Safe in confined spaces.

Made to the requirements of BS.EN.14291:2004

STANDARD for GAS LEAK DETECTION.

400ml Aerosol



## LD-90® GAS LEAK DETECTOR NON DRIP GEL FORMULATION

250ml Bottle

LD-90 GEL is for application to vertical piping where traditional Gas Leak Detectors will run off.

The gel will cling to the work and show leaks as foam.

Made to the requirements of BS.EN.14291:2004

STANDARD for GAS LEAK DETECTION.

## LM-90® PAINT LINE MARKER SYSTEM

Use on Concrete, Stone, Tarmac, Grass, Gravel and Soil.

Fills all popular applicator machines or use by hand.

Available in White, Yellow, Red, Blue, Green, Orange, Black.

Long Lasting bright colour.

750ml Aerosol





## MP-90® TEMPORARY ANTI-RUST COATING

Clean anti-rust coating for Injection Moulding Tools in storage.  
Ideal corrosion protection for export packing.  
Will protect all metal objects against rust.  
Easy to remove.  
Does not set hard.  
Faint yellow trace to aid application coverage.

500ml Aerosol

## MS-90® MULTI-PURPOSE SILICONE GREASE

General purpose clear clean grease.  
Ideal Switch lubricant.  
Excellent Di-electric spec.  
High electrical resistance.  
Resists melting.  
Ideal for lubricating electrical cable passing through conduit.

500ml Aerosol



## NS-90® NON SLIP FLOOR PAINT TRANSPARENT MATT FINISH

NS-90 is a one component clear coloured anti-slip coating for interior or exterior use, fast drying with good resistance to abrasion/oil/water/fuels.  
Contains anti-slip aggregate.

500ml Aerosol

## PTFE® PURE POLYTETRAFLUOROETHYLENE POWDER DRY LUBRICANT/ RELEASE AGENT

Use on bearings, bushes, gears, slide parts.  
Extremely low coefficient of friction.  
Significantly reduces friction.  
dry film stable from -250° c to +260° c.  
**NO SILICONE CONTENT**  
Ideal lubricant for metal, wood, plastics, rubber, glass, leather, fabric and foam materials.

500ml Aerosol



## RL-90® WIRE ROPE LUBRICANT WITH P.T.F.E

500ml Aerosol

Penetrates to the rope core.  
Extreme pressure performance weather resistant.  
Compatible with all mineral oil based lubricants.  
Can be used on wet ropes and provides excellent protection against corrosion.

## RP-90® RAPID PENETRATING SPRAY

RP-90 is a fast acting penetrating and release fluid 30% less dense than water, thus giving excellent penetrating power and releasing capability.  
Frees rusted parts quickly and cleanly.

500ml Aerosol







## RX-90® RED OXIDE ANTI-RUST PRIMER

For use on clean or lightly rusted metal.  
Over coatable with most popular paints.  
To obtain the best anti-rust performance the surfaces to be primed must be in sound condition, clean, free from oil or grease.  
If the surface has been previously painted, remove all loose or flaky paint with wire brush.

500ml Aerosol

## SA-90® INDUSTRIAL STRENGTH ADHESIVE

Construction  
Electrical  
Wood working  
Farming  
Engineering  
Upholstery & Carpet industries.  
Suitable for use on soft wood, plywood, plaster board, MDF, laminate board, hardboard, steel, plastic sheets, carpet tiles, underlay, fabric, foams and felts.

500ml Aerosol



## SL-90® VISCIOUS LUBRICATING OIL

Viscous Lubricating Oil with P.T.F.E.  
High quality mineral lubricating oil.  
Contains a special blend of anti-rust agents which protects all surfaces against corrosion.  
Formulated to grip metal parts.  
Viscous Lubricating Oil with P.T.F.E.  
Added PTFE to reinforce the oil film layer and provide lubrication for metal to metal parts for longer periods of time than could be achieved with oil film coatings.  
Lowest coefficient of friction of any of the solid additive products.

500ml Aerosol

## SP-90® MAXIMUM SILICONE LUBRICANT

SP-90 is a superior Silicone lubricant for light lubrication in chemical, food and other industries where a clean clear dry lubricating film is preferred.  
Stable over a wide range of temperatures.  
Prevents sticking of rubber or plastic parts.

500ml Aerosol



## SUPERTROL 001®

The protective coating that stays flexible, and is compatible with existing vehicle protection waxes.  
1000+1 uses for automotive, industrial, marine and agricultural applications.  
Penetrating rust proofing fluid.  
Rust Preventive – No silicone.  
Stops internal rust.  
Industry's proven rust treatment.

400ml Aerosol  
500ml Aerosol  
5ltr Can  
25ltr Can  
200ltr Can  
Metal Handspray Applicator

## TF-90® FAST DRYING CLEANING SOLVENT

TF-90 has been formulated to replace  
I.I.I. Trichloroethane solvents.

500ml Aerosol

Fast drying cleaning solvent.

Can be used for general degreasing work.

Will remove oil, grease, tar, wax, carbon and general soiling.

Ideal for electrical part cleaning and component cleaning.

TF-90 will soften some paints and will attack some plastics.



## MZ-90® MATT FINISH COLD ZINC GALVANISE®

MZ-90 is the ideal repair coating for newly galvanised metals,  
formulated to look like galvanised metal when dry.

Can be used as an undercoat or top coat.

It is fast drying to reduce downtime and delay.

500ml Aerosol



## ZG-90® COLD ZINC GALVANISING SPRAY

Fast drying rust protection.

Use on light rust or clean metal.

Ideal repair coating for new Galvanised metal.

Two buttons for varied spray patterns.

Blends with galvanised metal when dry.

Suitable as a base for most common finishes.

Do not use on the inside of water storage tanks.

Also available in red, blue, green, white & black.

500ml Aerosol



### Distributor Details

**Manufactured in UK by Action Can Ltd,**

Dixon Close, Old Boston Trading Estate Haydock, St Helens, WAI 1 9SF

Tel: +44 (0) 1942 713667

Fax: +44 (0) 1942 716235

Email: [salesoffice@actioncan.com](mailto:salesoffice@actioncan.com)

[www.actioncan.com](http://www.actioncan.com)